

Diagnosis Search Filter (PubMed)

See also Diagnostic Testing

Sensitivity and Specificity[mh] OR Diagnostic Errors[mh] OR Likelihood Functions[mh] OR Reproducibility of Results[mh] OR Area Under Curve[mh] OR Probability[mh] OR accurac*[tiab] OR false positive*[tiab] OR false negative*[tiab] OR false rate*[tiab] OR likelihood[tiab] OR probabilit*[tiab] OR receiver operat*[tiab] OR roc[tiab] OR sensitiv*[tiab] OR specificity[tiab] OR observer variation*[tiab] OR predictive value*[tiab] OR differential diagnosis[mh] **

2. etiolog*[ti] OR aetiolog*[ti] OR Incidence[mh] OR Prevalence[mh] OR incidence[tw] OR prevalence[tw] OR *MeSH term* /etiology OR etiology[sh] **

3. Cross-Sectional Studies[mh] OR Epidemiologic Studies[mh] OR Case-Control Studies[mh] OR Retrospective Studies[mh] OR Cohort Studies[mh] OR Longitudinal Studies[mh] OR Follow-up Studies[mh] OR Prospective Studies[mh] OR Comparative Study[pt]

4. Meta-Analysis[pt] OR meta analy*[ti] OR metaanaly*[ti] OR systematic review*[tiab] OR "published studies"[ti] OR medline[tw] OR embase[tw] OR data synthesis[tw] OR data extraction[tw] OR Cochrane Database Syst Rev[ta] **

If retrieval is low, consider including systematic[*sb*]

If appropriate, consider including the MeSH term: meta-analysis as topic[mh]

5. Guideline[pt] OR Practice Guideline[pt] OR guideline*[ti] OR Guidelines[mh] OR Consensus Development Conference, NIH[pt] OR Consensus Development Conference[pt] OR consensus[tw] OR Consensus[mh] OR recommend*[ti]

If appropriate, consider including the MeSH term: guidelines as topic[mh]

Search Notes:

** We suggest using MeSH terms and textwords in combination with this filter or MeSH terms/diagnosis if retrieval is very large. |

** Depending on the nature of the question consider terms such as screening[tw] OR mass screening[mh], as well as searching the U.S. Preventive Services Task Force Recommendations: <https://www.uspreventiveservicestaskforce.org/Search>

Uncertainty

**** Statement 2:** The goal of statement 2 is to elicit common and serious etiologies which may impact upon diagnostic approach or "work-up" of a condition or disease. If retrieval seems too small, consider also searching in the abstracts for these textwords: etiolog*[tw] OR aetiolog*[tw].

**** Statement 4:** Systematic review terms applied to the diagnostic search strategy will identify studies that have used a systematic approach to searching, assessing and summarizing the results.

****** The following MeSH terms and textwords can sometimes prove useful in focusing searches that deal with diagnostic questions involving some sort of decision-making process.

Algorithms[mh]

Decision Support Techniques[mh]

Decision making[mh]

Search Pearls:

If appropriate, consider incorporating the concept of outcome*[ti] into your strategy in order to elicit the outcomes of making a particular diagnosis.

When working on a diagnosis question, consider discussing with your author whether or not "screening" concepts should be included in the search.

Questions such as, "What are the causes of..." implies "How do I approach the diagnosis of..." or "What is the best diagnostic approach to..."

PubMed search filters were developed by FPIN Librarians at the University of Washington Health Sciences Library. For more information about the FPIN search filters, please contact the FPIN Librarian Editor. Updated October 2019.

© Permission to use these materials is granted with acknowledgement to the Family Physicians Inquiries Network.